



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)


(51) International Patent Classification ⁶ : A46B 9/06	A1	(11) International Publication Number: WO 98/18364 (43) International Publication Date: 7 May 1998 (07.05.98)
(21) International Application Number: PCT/US97/19793 (22) International Filing Date: 30 October 1997 (30.10.97) (30) Priority Data: 60/027,870 30 October 1996 (30.10.96) US (71) Applicant: THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). (72) Inventor: VOLPENHEIN, Daniel, William; 4769 White Blossom Boulevard, Mason, OH 45040 (US). (74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217 (US).		(81) Designated States: CA, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: TOOTHBRUSH WITH COMBINATION OF BRISTLES, SOFT CLEANSING PAD, AND/OR POLISHING FINGERS

(57) Abstract

Disclosed is a toothbrush with bristles and a relatively soft cleansing pad, or a soft polishing member. The brush is suitable for massaging the gums, and enhanced cleaning of the teeth. The bristles may include a thermoplastic elastomer having a Shore A hardness of at least 30. The bristles may be of a thermoplastic elastomer of polyetheramides, polyesters,

styrene-ethylene-butylene-styrene block copolymers, styrene-butadiene-styrene block copolymers, styrene-isoprene-styrene block copolymers, polyurethanes, polyolefin elastomers, or mixtures thereof. The thermoplastic elastomer may have a flexural modulus of at least 5 MPa, and further may be of a polyphthalamide.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

TOOTHBRUSH WITH COMBINATION OF BRISTLES, SOFT CLEANSING PAD, AND/OR POLISHING FINGERS

FIELD OF THE INVENTION

The present invention relates to toothbrushes. The present invention has further relation to such toothbrushes with multiple types of cleaning members applied to the toothbrush head.

BACKGROUND OF THE INVENTION

Toothbrushing may be accompanied by negative side effects such as irritation, abrasion, and recession of the gums. These problems may be minimized by massaging the gums to stimulate the gingival tissue. There has therefore been a desire to have a toothbrush which provides for the cleaning ability of bristles, along with a massaging or polishing member also located on the toothbrush head to stimulate the gums.

SUMMARY OF THE INVENTION

Disclosed is a toothbrush 10 comprising a handle 20, including a head 30, the head including a cleaning structure 40, the cleaning structure 40 comprising bristles 50 and a relatively soft cleansing pad 60, or bristles and at least one soft polishing member, or bristles and a relatively soft cleansing pad and at least one soft polishing member.

Further disclosed is an oral brush suitable for massaging the gums, comprising an elongated body, a head portion extending from the body, and a brush portion including a plurality of bristles extending from the head portion, the bristles including a thermoplastic elastomer having a Shore A hardness of at least 30. The oral brush may also include a plurality of bristles of a thermoplastic elastomer selected from the group consisting of polyetheramides, polyesters, styrene-ethylene-butylene-styrene block copolymers, styrene-butadiene-styrene block copolymers, styrene-isoprene-styrene block copolymers, polyurethanes, polyolefin elastomers, and mixtures thereof. The thermoplastic elastomer may have a flexural modulus of at least 5 MPa, and further may be of a polyphthalamide. Lastly, an absorbent pad may be used which includes an active ingredient which is dispersed to human teeth upon use to enhance cleaning and health of the teeth.

BRIEF DESCRIPTION OF THE DRAWINGS

While the specification concludes with claims particularly pointing out and distinctly claiming the subject invention, it is believed the same will be better understood from the following description taken in conjunction with the accompanying drawings in which:

Figure 1 is an embodiment of a toothbrush head of the present invention, showing bristle tufts surrounding a centrally located soft cleansing pad.

Figure 2a shows an embodiment of the soft cleansing pad of Figure 1, with a contoured surface.

Figure 2b shows an embodiment of the soft cleansing pad of Figure 1, with an alternatively contoured surface.

Figure 3 is an embodiment of the toothbrush head of the present invention, showing a soft cleansing pad with extended bristles protruding therethrough.

Figure 4 is an embodiment of the toothbrush head of the present invention, showing bristle tufts surrounded by soft flexible fingers around a portion of the perimeter of the brush head.

DETAILED DESCRIPTION OF THE INVENTION

Referring now to the drawings in detail wherein like numerals indicate the same element throughout the views there is shown in Figure 1 an embodiment of the present invention which includes a soft cleansing pad 60 on a toothbrush head 30 surrounded by bristle tufts 50. The bristle tufts 50 act to clean the teeth surfaces and in between teeth, while the pad 60 acts to help clean and polish teeth surfaces and massage the gums. Figures 2a and 2b show an alternative pad 60 that can be used with the embodiment in Figure 1. Alternative pads may have differing surface configurations depending on results desired; e.g. contoured pad surface 70 may be used to trap abrasive cleaning agent for tooth surface polishing. The pad may also be varied in length, width, and height dimensions, depending on desired results.

Generally, a combination of bristles and a soft pad provide greater coverage and polishing of the flat surfaces of teeth, while the bristles penetrate and clean between teeth and along the gumline. In any event, the pad would trap abrasive cleaning particles between the pad and the teeth for improved surface cleaning, including plaque and stain removal, as well as polishing. Alternatively, the pad can be used just to massage the gums.

Figure 3 shows a pad 60 covering the major portion of the head area. Extended individual bristles 50 are inserted into the head 30 through the pad 60. The pad cleans and polishes teeth surfaces and massages the gums, while the extended bristles clean between teeth and along the gumline. Other variations include variations in pad material stiffness or variations in other pad material characteristics. An active ingredient (e.g. fluoride) may be included in the pad itself, which would be dispersed to the teeth upon use. Ideally, the pad surface could be matched with specific dentifrice abrasives to optimize cleaning and polishing performance.

Referring now to Figure 4, the bristles 50 may be combined with a plurality of soft, polishing finger-like structures 80, typically made of an elastomeric material, or the bristles can be combined with a pad and the fingers. The fingers 80 can be molded at the same time as, and along with, the toothbrush handle 20. The fingers 80 may be made of the same material as the handle 20,

or may be injection molded onto the toothbrush head 30 in a secondary manufacturing step. Variations include the shape of the fingers, location on the brush head, color, stiffness, and material used. The fingers would provide gum stimulation and teeth polishing, while the bristles cleaned the teeth. The combination of standard nylon bristles and soft polymeric fingers in the brush head can be used to more effectively polish teeth and massage gums, while cleaning plaque and stains from teeth surfaces. Another variation includes bristles embedded in and coming out through the fingers, either protruding through the finger tips and extending outward therefrom, or protruding out the sides of the fingers.

While particular embodiments of the present invention have been illustrated and described herein it will be obvious to those skilled in the art that various changes and modifications can be made without departing from the spirit and scope of the present invention and it is intended to cover in the appended claims all such modifications that are within the scope of this invention.

1. A toothbrush characterized by a handle, including a head, the head including a cleaning structure, the cleaning structure characterized by bristles and a relatively soft cleansing pad.
2. A toothbrush characterized by a handle, including a head, the head including a cleaning structure, the cleaning structure characterized by bristles and at least one soft polishing member.
3. A toothbrush characterized by a handle, including a head, the head including a cleaning structure, the cleaning structure characterized by bristles, a relatively soft cleansing pad, and at least one soft polishing member.
4. An oral brush suitable for massaging the gums, characterized by:
 - an elongated body;
 - a head portion extending from said body; and
 - a brush portion characterized by a plurality of bristles extending from said head portion, said bristles characterized by a thermoplastic elastomer having a Shore A hardness of at least 30.
5. An oral brush characterized by:
 - an elongated body;
 - a head portion extending from said body; and
 - a brush portion characterized by a plurality of bristles extending from said head portion, said bristles characterized by a thermoplastic elastomer selected from the group consisting of polyetheramides, polyesters, styrene-ethylene-butylene-styrene block copolymers, styrene-butadiene-styrene block copolymers, styrene-isoprene-styrene block copolymers, polyurethanes, polyolefin elastomers, and mixtures thereof.
6. An oral brush characterized by:
 - an elongated body;
 - a head portion extending from said body; and
 - a brush portion characterized by a plurality of bristles extending from said head portion, said bristles characterized by a thermoplastic elastomer having a flexural modulus of at least 5 MPa.

7. An oral brush characterized by:

an elongated body;

a head portion extending from said body; and

a brush portion extending from said head portion, characterized by a plurality of bristles further characterized by a thermoplastic elastomer and a plurality of bristles further characterized by a polyphthalamide.

8. An oral brush characterized by:

an elongated body;

a head portion extending from said body; and

a pad portion extending from said head portion, characterized by a relatively soft, absorbent pad further characterized by an active ingredient which is dispersed to human teeth upon use to enhance cleaning and health of the teeth.

1/2




Fig. 1




Fig. 2a




Fig. 2b




Fig. 3

INTERNATIONAL SEARCH REPORT

Int. l. Application No

PCT/US 97/19793

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A46B9/06

According to International Patent Classification(IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61H A61C A46B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 2 636 818 A (TASSINARI) 30 March 1990	1-3
Y	see the whole document	7
Y	US 4 617 342 A (POPPE) 14 October 1986 see claims; example 3	7
X	US 2 702 914 A (KITTLE) 1 March 1955 see column 2, line 27 - column 4, line 4; figures	1-3,8
X	GB 2 040 161 A (VOWLES) 28 August 1980 see page 1, line 95 - page 2, line 37; figures	1-3
X	DE 824 035 C (BOSACKI) 10 December 1951 see the whole document	1-3
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

18 March 1998

Date of mailing of the international search report

30/03/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2

NL - 2280 HV Rijswijk

Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.

Fax: (+31-70) 340-3016

Authorized officer

Triantaphillou, P

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 97/19793

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	WO 97 16995 A (GILLETTE CANADA INC) 15 May 1997 see claims ----	4-7
A	US 5 301 695 A (WONG) 12 April 1994 see column 3, line 6 - column 4, line 28; figures ----	1-3, 8
A	US 4 263 691 A (PAKARNSEREE) 28 April 1981 ----	4-6
A	US 5 040 260 A (MICHAELS) 20 August 1991 -----	4-6

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 97/19793

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR 2636818 A	30-03-90	NONE	
US 4617342 A	14-10-86	NONE	
US 2702914 A	01-03-55	NONE	
GB 2040161 A	28-08-80	AU 534449 B	02-02-84
		AU 5468880 A	31-07-80
		CA 1140711 A	08-02-83
		DE 3001382 A	31-07-80
		FR 2447163 A	22-08-80
		JP 55099210 A	29-07-80
		US 4277862 A	14-07-81
		ZA 7903829 A	30-07-80
DE 824035 C		NONE	
WO 9716995 A	15-05-97	AU 7675296 A	29-05-97
US 5301695 A	12-04-94	NONE	
US 4263691 A	28-04-81	NONE	
US 5040260 A	20-08-91	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.